

Women's Futsal Ability: VO2 Max and Futsal Techniques at Padang

By Bimo Alexander

Women's Futsal Ability: VO₂ Max and Futsal Techniques at Padang

Bimo Alexander^{1*}, Andri Arif Kustiawan², Hadiono³, Ayu Purnama Wenly⁴, Ramdan Pelana⁵, Sukiri⁶, Dio Alif Airlangga Dauly⁷

^{1,2,3} Department of Sports Science, Faculty of Science and Technology, Universitas PGRI Yogyakarta, Indonesia

⁴ Education, Pamulang University, Jl. Surya Ancana No. 1 Pamulang, Tangerang Selatan, Jawa Barat, Indonesia

^{5,6} Physical Education, State University of Jakarta, Jakarta, Indonesia

⁷ Pemuda Rawamangun No.10, Kec. Pulo Gadung, City of East Jakarta, Special Capital Region of Jakarta 13220

⁷ Sports Coaching, Universitas Negeri Surabaya, Indonesia

*Corresponding Author: bimoalexander@upy.ac.id

Copyright © 2023 by the author, all rights reserved. The author agrees that this article remains permanently open under the terms of the Creative Commons Attribution 4.0 International License

Abstract This study aims to determine the effect of futsal training based on small-sided games on increasing VO₂ max, basic futsal techniques, and weight loss in female futsal athletes in Padang. The research method was an experiment with a pre-test and post-test design on 20 athletes aged 18-22 Years. The Multi-stage fitness test instrument measures the athlete's VO₂ max and the futsal technique instrument measures the basic technical abilities of female futsal athletes. Test data analysis requirements carried out are normality test and homogeneity test. data analysis with t-test and repair analysis. The data processing of this research used SPSS version 26 software. Based on the results of the t-test (paired sample test), the Sig value was obtained (2-tailed) value 0.000 <0.05, which means the futsal training method using small-sided games in increasing VO₂ max and futsal techniques for female futsal players. In conclusion, the futsal training method based on small sided-games is effective for increasing VO₂ max and basic futsal technical skills in female futsal players with an increase of 21,16 %. Based on the results of the matches, the athletes experienced an increase in the results of matches against the opposing team as many as two wins and one draw.

Keywords VO₂ Max; Passing; Shooting; Dribbling

1. Introduction

Futsal is a high-intensity game [1]. Physical condition is a component that must be prepared to display maximum physical appearance [2]. Exercise intensity can be assessed by the method of absorption of oxygen (VO₂) [3].

The intensity and rhythm of the futsal game are very high and do not decrease during the game [4]. Futsal is a sport that involves periods of high-intensity physical play for two periods of 15 minutes per match [5]. The level of aerobic fitness of athletes greatly influences the success of playing futsal; athletes must be able to recover quickly during a match so that a high level of intensity play can be maintained [6]. If a futsal player has a bad physical condition, it will have an impact on techniques and tactics that will not be optimal [7].

Expert analysis of athletes running over 4500 meters during the match [20]. Futsal players sprint 3-4 times every 20-30 seconds during the game [9]. The average intensity of futsal games is 85-90% of the maximum heart rate and 75% of VO₂ max [8]. Maximum aerobic capacity is an important factor in assisting the recovery of professional soccer athletes [10]. Futsal games require high aerobic and anaerobic energy systems together [8]. Recommends high-intensity exercise endurance (HIEE) or anaerobic exercise used to develop endurance in American football, futsal, soccer, basketball, ice hockey [11].

The training model that is currently popular in futsal is an exercise model based on small-sided games. This model is implemented with a futsal game situation so that it can reach all aspects ranging from futsal playing techniques, futsal playing tactics and the physical components needed in the futsal sport. Small side games are one of the branches of the game based approach. They serve as exercises that emphasize tactics within the game based approach. The game based approach can enhance skills and improve problem-solving abilities. The game based approach can enhance skills and improve problem-solving abilities [12]. It has been proven that using a game based approach provides greater benefits compared to non-game based approaches [13]. For instance, in a game based approach, participants will learn by doing while developing their technical skills [14]. The game based approach also has the potential to increase enjoyment and enhance motivation in learning [15]. Game based approach also makes exercises more enjoyable with the presence of a reward system that has been proven effective in training [16]. In addition, weight loss is also possible by giving small-sided games-based exercises.

Research results from [17] that the results obtained $VO_2\text{max}$ of 54.0 L/kg/minute, and an increase when using the SSG exercise program that is equal to 55.2 mL/kg/minute. Recommends small-sided games exercises to improve aerobic and anaerobic soccer athletes [18].

Training should provide a simulation of the game by manipulating not only the practice area (eg the width and length of the court) but also the goals and rules of the game [19]. Small sided game exercises have been used in pedagogical methodologies to simultaneously develop physiological, physical, technical, tactical, and sociological skills in team sports play [18]. This exercise is used to get physical improvements, techniques and tactics of playing futsal matches [20].

Results of analysis and interviews with Sports Science lecturers, at Padang State University, it takes good physical and technical components to be able to play futsal optimally. Although football a popular sport in Indonesia [21], research the development of women's futsal and soccer is still lacking compared to the number of studies on men [22]. So that an exercise program that is by the characteristics of the futsal sport is needed to provide maximum improvement the physical and technical components.

2. Materials and Methods

The participants are 20 semi-professional futsal athletes aged 18-22 years who have participated in at least 2 matches between cities, provinces and universities. The targets in this research are athletes who already have basic technical skills so that selected participants must have a minimum training age of 5 months. This study aims to see the improvements obtained by athletes after 6 weeks and 9 weeks of training. Physical improvement was measured in terms of body weight, height, BMI, agility, $VO_2\text{max}$, as well as speed and power. Then, improving basic futsal techniques in the form of passing control, dribbling and shooting. The results of this increase were measured at the first meeting, the sixth meeting, and the ninth meeting. Then the three results were compared to measure the difference in the mean of each data using the Independent Sample T-test. Then proceed with the match analysis which was carried out 2 times, namely at the 2nd week meeting and the ninth week meeting.

Data collection techniques before and after treatment were carried out using a multi-stage fitness test (MFT) instrument to measure $VO_2\text{max}$ and a futsal technique instrument to measure the basic futsal technical abilities of female futsal athletes. Data analysis performed was t-test. Test the analysis requirements using the normality test and homogeneity test, then the t test (paired sample test) and improvement analysis. This research data processing uses SPSS version 26 software.

Research Design

Researchers want to see the effect of small-sided games on $VO_2\text{max}$ and basic techniques on female futsal athletes in the city of Padang, so in this study uses the one-group re-test and post-test method. The data on the research subjects were carried out at the beginning of the meeting, then treatment was carried out in the form of an exercise program based on small-sided games. At the third and ninth meetings, the subject data was measured again using the same instrument at the beginning of the meeting.

3. Results and Discussion

Table 1. Physical Condition Research Results

Variable	Pre-means (SD)	6-week	9-week	Effect size
		Hasil mean (SD)	Post mean (SD)	
Weight	53,3 ± 6,1	53,1 ± 5	51,2 ± 3,6	2,1
Height	154,8 ± 2,8	155,4 ± 2,1	155,4 ± 2,1	0,6
Body mass index	22,2 ± 2,2	22 ± 1,8	21,2 ± 1,1	1
$VO_2\text{max}$	28,9 ± 1,8	30,1 ± 2,2	33,5 ± 3,5	4,6
Agility	27,9 ± 4,1	24,7 ± 4	21,7 ± 4,5	6,2
Speed and power	19,4 ± 2,6	16,5 ± 1,9	14,4 ± 2	5

Table 1 shows the results of statistical calculations for the variables weight, height, body mass index, $vo_2\text{max}$, agility, speed and power in 3 measurements (pretest, 6-week and 9-week). It can be seen that a significant increase occurred after 9 weeks of training. For the variable weight effect size, weight loss for a 9-week period (by 2.1). for variable height the increase in height over a 9-week period (by 0.6). For variable body mass index BMI reduction for a 9-week period (by 1). For the $vo_2\text{max}$ variable, the increase in $vo_2\text{max}$ capacity for a 9-week period (by 4.6). For the agility variable, increasing agility skills for a 9-week period (by 6.2). For variable speed and power skill improvement speed and power 9-week period (by 5). Based on table 1, the variable that has experienced the greatest increase is the agility variable.

Table 2. Futsal technique research results

Variable	Pre-means (SD)	6-week	9-week	Effect size
		Hasi mean (SD)	Post mean (SD)	
Passing-stopping	10,2 ± 2,0	14 ± 3,1	18,7 ± 4,1	8,5
Dribbling	43,1 ± 5,4	33,8 ± 6,2	24,3 ± 5,7	18,8
Shooting	19,2 ± 3,1	22,2 ± 3,1	30,3 ± 3,7	11,1

Table 2 shows the results of statistical calculations for the variables passing-stopping, dribbling, and shooting in 3 measurements (pretest, 6-week and 9-week). It can be seen that a significant increase occurred after 9 weeks of training. For the passing-stopping variable, the increase in passing-stopping skills over a period of 9 weeks (by 8.5). For the dribbling variable, the increase in dribbling skills over a period of 9 weeks (by 18.8). For the shooting variable, the increase in shooting skills over a period of 9 weeks (by 11.1). Based on table 2, the variable that has experienced the greatest increase is the dribbling variable.

Table 3. Match trial results

Match	Match -1	Result	Match 2	Result
PFA vs UNP	2vs 4	Fail	2 vs1	Win
PFA vs Ceklis Fc	0 vs 5	Fail	2 vs 2	Draw
PFA vs Onix fc	2 vs 2	Draw	4 vs 1	Win

The results of the futsal training program on body weight, height, body composition, VO₂ max, agility and speed and power can be seen in table 1. After nine weeks of giving the exercise program, there were significant improvements in VO₂ max, agility, speed and power. Meanwhile, there was no significant increase in body weight, height and body composition. Although there was a change in weight, height and body composition, the difference in estimates did not change significantly on average.

The results of the calculation on the basic techniques of passing, shooting and dribbling can be seen in table 2. After nine weeks of giving the training program, the passing-stopping results showed an increase in the average ability of the athlete's basic passing-stopping technique. The results of the research on the dribbling technique showed that there was an average difference in the athlete's dribbling ability. Furthermore, the results of the shooting research show that there is a significant increase in the average shooting ability of athletes.

The test matches which were carried out twice can be seen in table 3. Based on the results of the match that the athlete experienced an increase in the results of the match against the opposing team, two wins and one draw.

Discussion

This research was conducted during the Covid-19 pandemic, so it was difficult to get parental approval so that their children could attend the training. Finally, the sample for this study was limited to 20 people who were willing and got permission from their parents. In this study, the results obtained VO₂ max of 28,9 ± 1,8. The VO₂ max result after being given a small-sided games training program was 33,5 ± 3,5. The magnitude of the effect obtained is 21.16%. The resulting increase is quite large but does not match the target set according to the VO₂ max capacity needed by the athlete. The non-compliance with the target may be influenced by several factors, such as athletes being absent several times due to illness, food that is not fully controlled, and others.

The VO₂ max capacity needed by soccer athletes is 54 mL/kg/minute [23]. In addition, futsal players with higher aerobic strength can play longer given the average game demands of 48.6 (40.1–57.1) ml kg min [24]. Meanwhile, the VO₂ max results for futsal athletes in Indonesia are very far from the VO₂ max capacity needed to play futsal. The VO₂ max of athletes at the women's futsal club in the city of Bengkulu is at an average value of 30.61mL/kg/minute [25]. The average VO₂ max result for female athletes at Padang futsal Academy in Padang city is 30.5 mL/kg/minute [2].

The results of this study were also strengthened by research conducted by (Leandro et al) that the total influence of technical action techniques was higher in Small Sided Games (+ 18.4%, p = 0.001) than generic game. Passed higher in SSG (+16%; p = 0.01) compared to GG. The higher technical action of SSG compared to GG shows that the SSG model is a suitable technical and physiological stimulus for the development of female futsal players [26].

Apart from small-sided games, circuit training and interval training also provide an increase in VO₂max, the difference between circuit training and interval training affects the VO₂max of futsal players by providing two treatments that are more effective for increasing VO₂max, and for increasing VO₂max, circuit training is better than interval training [27].

Apart from improving vo₂max, agility, and speed and power, small-sided games-based training also provides improvements in passing-stopping, dribbling and shooting techniques. This study proves that there is a significant increase in the basic technical skills (passing-stopping) of female futsal athletes. The improvement obtained in the passing-stopping technique is 8.5. the basic dribbling technique increased by 18.8, and the shooting technique increased by 11.1.

Research related to small sided games and futsal was also carried out by Am, the results showed that small sided games based programs also produce better technical performance, so they are an effective alternative for developing aerobic capacity and anaerobic strength in futsal [17]. However, research results from Costa et.al 2021 showed that there

was no increase in shooting, dribbling and disarming actions, but the number of passes ($p = 0.016$) increased in small sided games [26].

Women's futsal in the city of Padang is still lagging compared to women's futsal from Riau, Bandung, and Jakarta. The cause of the underdevelopment of women's futsal in Padang city is influenced by many factors, namely funding sponsors, less active organizations and the culture of the people at Padang city itself. Most of the female futsal athletes at Padang city are new students from Universitas Negeri Padang with a background in volleyball, basketball and athletics. This is due to the limited training space for female futsal athletes. This causes the VO_2 max needs of female futsal athletes at Padang city to still not meet the basic needs of futsal compared to other futsal athletes.

Social identity shapes women's experiences of power and social injustice in sport development. [28] create a stereotype in a patriarchal society that soccer is only suitable for men to play, because in his view women are seen as weak creatures. Although some people have a bad view of women who play soccer, women are still interested in playing soccer. In terms of health, soccer is considered effective in lowering blood pressure for women, this is based on research conducted by [29] Professor from the University of Exeter, Peter Krustup suggests that in addition to lowering blood pressure, soccer in women is also able to lose weight it can reduce the amount of cholesterol if it is done regularly. Although female soccer players are at a higher risk of concussion as well as exposure to repeated head injuries from heading the ball [30].

Social views like that are currently starting to change little by little. Through continuous coaching and collaboration from various parties, it is hoped that it can provide good input for the development of women's futsal at Padang city. One of them is by accommodating women's futsal players for training, and matches and providing interesting training programs so that women's futsal players can continue to be consistent in developing futsal at Padang city.

4. Conclusion

After nine weeks of giving the training program results obtained a significant increase in VO_2 max, agility, speed and power. Meanwhile, there was no significant increase in body weight, height and body composition. Despite changes in weight, height and body composition, the difference in estimates did not change significantly on average. The result of passing-stopping is an increase in the average passing-stopping ability of athletes. The results of research on dribbling technique showed that there was an average difference in the athlete's dribbling ability. Furthermore, the results of shooting research show that there is a significant increase in the average athlete's shooting ability. The match trials which were carried out twice can be seen in table 3. Based on the results of the matches, the athletes experienced an increase in the results of matches against the opposing team as many as two wins and one draw.

REFERENCES

- [1] Mohammed, A., Shafizadeh, M., & Platt, G. K. (2014). Effects of the level of expertise on the physical and technical demands in futsal. *International Journal of Performance Analysis in Sport*, 14(2), 473–481. <https://doi.org/10.1080/24748668.2014.11868736>
- [2] Wenly, A. P., Pelana, R., Wasan, A., Usman, H., & Chaniago, H. (2021). Aerobic endurance of futsal athletes during the covid-19 pandemic. *Journal of Physical Education and Sport*, 21(4), 2243–2247. <https://doi.org/10.7752/jpes.2021.s4299>
- [3] Clemente, F. M., Nikolaidis, P. T., Bezerra, J. P., & Chen, Y. S. (2018). Heart rate variations between training days and types of exercise in men and women futsal and soccer players. *Human Movement*, 19(5 Special Issue), 1–7. <https://doi.org/10.5114/hm.2018.77884>
- [4] Ramos-Campo, D. J., Rubio-Arias, J. A., Carrasco-Poyatos, M., & Alcaraz, P. E. (2016). Physical performance of elite and sub-elite Spanish female futsal players. *Biology of Sport*, 33(3), 297–304. <https://doi.org/10.5604/20831862.1212633>
- [5] Sekulic, D., Foretic, N., Gilic, B., Esco, M. R., Hammami, R., Uljevic, O., ... Spasic, M. (2019). Importance of agility performance in professional futsal players; reliability and applicability of newly developed testing protocols. *International Journal of Environmental Research and Public Health*, 16(18). <https://doi.org/10.3390/ijerph16183246>
- [6] Harrison, C. B., Gill, N. D., Kinugasa, T., & Kilding, A. E. (2015). Development of Aerobic Fitness in Young Team Sport Athletes. *Sports Medicine*, 45(7), 969–983. <https://doi.org/10.1007/s40279-015-0330-y>
- [7] Robiansyah, M. F., & Amiq, F. (2018). Pengembangan Model Latihan (Circuit Training) Dalam Permainan Futsal. *Prosiding Seminar Nasional IPTEK Olahraga 2018*, 6.
- [8] Barbero-Alvarez, J. C., Subiela, J. V., Granda-Vera, J., Castagna, C., Gómez, M., & Del Coso, J. (2015). Aerobic fitness and performance in elite female futsal players. *Biology of Sport*, 32(4), 339–344. <https://doi.org/10.5604/20831862.1189200>
- [9] Freitas, V. H. De, Miloski, B., & Ramos, S. D. P. (2019). Treinamento direcionado ao desenvolvimento de potência e desempenho físico de jogadores de futsal. *Rev Bras Cineantropom Hum and Physical Performance of Futsal Players*.

- [10] Esco, M. R., Snarr, R. L., Flatt, A., Leatherwood, M., & Whittaker, A. (2014). Tracking changes in maximal oxygen consumption with the heart rate index in female collegiate soccer players. *Journal of Human Kinetics*, 42(1), 103–111. <https://doi.org/10.2478/hukin-2014-0065>
- [11] Bompa, T. O., & Buzzichelli, Carlo A. (2019). *Theory and Methodology of Training* (Sixth edit). America: HUMAN KINETICS. <https://doi.org/https://lccn.loc.gov/2017060513>
- [12] Sun, L., Kangas, M., Ruokamo, H., & Siklander, S. (2023). A systematic literature review of teacher scaffolding in game-based learning in primary education. *Educational Research Review*, 40(July 2022), 100546. <https://doi.org/10.1016/j.edurev.2023.100546>
- [13] Wardoyo, C., Dwi, Y., Shandy, B., & Wibowo, A. (2021). Heliyon Do technological knowledge and game-based learning promote students achievement: lesson from Indonesia. *Heliyon*, 7(June), e08467. <https://doi.org/10.1016/j.heliyon.2021.e08467>
- [14] Lehtinen, J., Kujala, J., Kauppila, O., & Elina, J. (2022). *Game-based learning and students' motivation in project management education*. 3(July), 100055. <https://doi.org/https://doi.org/10.1016/j.plas.2022.100055>
- [15] Zuo, T., Birk, M. V., Spek, E. D. Van Der, & Hu, J. (2023). The effect of fantasy on learning and recall of declarative knowledge in AR game-based learning. *Entertainment Computing*, 46(February), 100563. <https://doi.org/10.1016/j.entcom.2023.100563>
- [16] Koskinen, A., McMullen, J., Hannula-sormunen, M., Ninaus, M., & Kiili, K. (2023). Computers & Education The strength and direction of the difficulty adaptation affect situational interest in game-based learning. *Computers & Education*, 194(November 2022), 104694. <https://doi.org/10.1016/j.compedu.2022.104694>
- [17] Amani-Shalamzari, S., Sarikhani, A., Paton, C., Rajabi, H., Bayati, M., Theodoros Nikolaidis, P., & Knechtle, B. (2020). *Training During Specific Futsal Training Improves Aspects of Physiological and Physical Performance*. ©*Journal of Sports Science and Medicine* (Vol. 19).
- [18] Clemente, F. M., Lourenço Martins, F. M., & Mendes, R. S. (2014). Developing aerobic and anaerobic fitness using small-sided soccer games: Methodological proposals. *Strength and Conditioning Journal*, 36(3), 76–87. <https://doi.org/10.1519/SSC.0000000000000063>
- [19] Davids, K., Araújo, D., Correia, V., & Vilar, L. (2013). How small-sided and conditioned games enhance acquisition of movement and decision-making skills. *Exercise and Sport Sciences Reviews*, 41(3), 154–161. <https://doi.org/10.1097/JES.0b013e318292f3ec>
- [20] Aguiar, M., Botelho, G., Lago, C., Maças, V., & Sampaio, J. (2012). A review on the effects of soccer small-sided games. *Journal of Human Kinetics*, 33(1), 103–113. <https://doi.org/10.2478/v10078-012-0049-x>
- [21] Wenly, A. P. W., Pelana, R., & Wasan, A. (2021). Effectiveness of Endurance Training Based on Small-Sided Games Model for Beginner Women Futsal. *Gladi: Jurnal Ilmu Keolahragaan*, 12(04), 258–268. <https://doi.org/10.21009/gjik.124.05>
- [22] Mascarin, R. B., Vicentini, L., & Marques, R. F. R. (2019). Brazilian women elite futsal players' career development: Diversified experiences and late sport specialization. *Motriz. Revista de Educacao Fisica*, 25(2), 1–10. <https://doi.org/10.1590/s1980-6574201900010014>
- [23] Bafirman, & Wahyuri, A. S. (2019). *Pembentukan Kondisi Fisik* (Ed. 1, Cet). Depok: Rajawali Pers.
- [24] Castagna, C., D'Ottavio, S., Vera, J. G., & Álvarez, J. C. B. (2009). Match demands of professional Futsal: A case study. *Journal of Science and Medicine in Sport*, 12(4), 490–494. <https://doi.org/10.1016/j.jsams.2008.02.001>
- [25] Ulandari, D. S., Pujiyanto, D., Prabowo, A., & Defliyanto, D. (2021). Survei Tingkat Kondisi Fisik Vo2max Atlet Pada Klub Futsal Putri di Kota Bengkulu. *SPORT GYMNASTICS: Jurnal Ilmiah Pendidikan Jasmani*, 2(2), 306–318. <https://doi.org/10.33369/gymnastics.v2i2.16234>
- [26] Taufik, M. S., Widiastuti, Setiakarnawijaya, Y., & Dlis, F. (2021). Original Article Effect of circuit and interval training on VO2max in futsal players. *Effect of Circuit and Interval Training on VO2max in Futsal Players*, 21(4), 2283–2288. <https://doi.org/10.7752/jpes.2021.s4305>
- [27] Leandro, J., Costa, T. Da, Spineli, H., Júnior, P. B., Prado, E. S., & Araujo, G. G. De. (2021). Physiological and technical demands of the small-sided and generic games in female futsal players. *Sports Training*, 27, 1–6. <https://doi.org/DOI: http://dx.doi.org/10.1590/S1980-65742021018120>
- [28] Harvey, R. A. dan Champe, P.C., 2013, *Farmakologi Ulasan Bergambar*, Edisi 4, C. Ramadhani, Dian [et al], Tjahyanto, Adhi, Salim, ed., Jakarta, Buku Kedokteran EGC
- [29] Clemente, Filipe Manuel, Ramirez-Campillo, R., & Sarmiento, H. (2021). Effects of the small-sided soccer games on blood pressure in untrained hypertensive adults: A systematic review and meta-analysis of randomized controlled trials. *Healthcare (Switzerland)*, 9(3). <https://doi.org/10.3390/healthcare9030345>
- [30] Glutting, J. J., Davey, A., Wahlquist, V. E., Watkins, m., & Kaminski, T. W. (2020). Internal (factorial) validity of the ANAM using a cohort of woman high-school soccer players. *Archives of clinical neuropsychology*.

Women's Futsal Ability: VO2 Max and Futsal Techniques at Padang

ORIGINALITY REPORT

18%

SIMILARITY INDEX

PRIMARY SOURCES

1	journal.unj.ac.id Internet	105 words — 3%
2	repository.unj.ac.id Internet	80 words — 3%
3	www.scielo.br Internet	62 words — 2%
4	efsupit.ro Internet	41 words — 1%
5	ujcontent.uj.ac.za Internet	22 words — 1%
6	Feby Elra Perdima, Remon Pebriadi, Nugraha Adita, Rayvin Domingo Pestano. "The Effect of Zig-Zag Running Training using Weights on Increasing Dribbling Ability in Football Athletes Club Porma FC U-20th Kepahiang", Kinestetik : Jurnal Ilmiah Pendidikan Jasmani, 2023 Crossref	19 words — 1%
7	journal.unnes.ac.id Internet	18 words — 1%
8	www.mdpi.com Internet	18 words — 1%

9	ejurnal.seminar-id.com Internet	17 words — 1%
10	bircu-journal.com Internet	16 words — 1%
11	pubmed.ncbi.nlm.nih.gov Internet	15 words — < 1%
12	Rafaela Bevilaqua Mascarin, Lucas Vicentini, Renato Francisco Rodrigues Marques. "Brazilian women elite futsal players' career development: diversified experiences and late sport specialization", <i>Motriz: Revista de Educação Física</i> , 2019 Crossref	13 words — < 1%
13	Anderson Marques Moraes, Ruben Vidal Espinoza, Raiany Rosa Bergamo, Rossana Gómez-Campos et al. "Prediction of fat-free mass from body surface area in young basketball players", <i>Research Square Platform LLC</i> , 2023 Crossref Posted Content	12 words — < 1%
14	Deborah Antai-Otong. "Medical Complications of Cocaine Addiction: Clinical Implications for Nursing Practice", <i>Journal of Addictions Nursing</i> , 2006 Crossref	12 words — < 1%
15	www.sciencegate.app Internet	12 words — < 1%
16	Dera Selvi Ulandari, Dian Pujiyanto, Andika Prabowo, Defliyanto Defliyanto. "Survei Tingkat Kondisi Fisik Vo2max Atlet Pada Klub Futsal Putri di Kota Bengkulu", <i>SPORT GYMNASTICS : Jurnal Ilmiah Pendidikan Jasmani</i> , 2021 Crossref	11 words — < 1%

-
- 17 J Setiawan, S Ismarwanti, A Paid, H F Rahmatullah, R Sigit, M K Ajiriyanto. "Capability of Indonesian Hot cell Towards Pebble Bed Post Irradiation Examination", Journal of Physics: Conference Series, 2021
Crossref 11 words — < 1%
-
- 18 academic.oup.com
Internet 11 words — < 1%
-
- 19 www.researchgate.net
Internet 10 words — < 1%
-
- 20 ojs.unpkediri.ac.id
Internet 9 words — < 1%
-
- 21 www.siz-au.com
Internet 9 words — < 1%
-
- 22 www.slideshare.net
Internet 9 words — < 1%
-
- 23 Budiman Agung Pratama, Sucipto Sucipto, Yulingga Nanda Hanief. "Improving learning in physical education: Augmented reality mobile app-based for fundamental motor skill", Jurnal SPORTIF : Jurnal Penelitian Pembelajaran, 2022
Crossref 8 words — < 1%
-
- 24 link.springer.com
Internet 8 words — < 1%
-
- 25 Trisaptono, Sumintarsih. "Effect of Circuit Training, Interval Training and Body Mass Index For Increase the VO2 Max", Proceeding of LPPM UPN "VETERAN" YOGYAKARTA CONFERENCE SERIES 2020 – POLITICAL AND SOCIAL SCIENCE SERIES, 2020
Publications 6 words — < 1%

EXCLUDE QUOTES OFF

EXCLUDE BIBLIOGRAPHY ON

EXCLUDE SOURCES OFF

EXCLUDE MATCHES OFF